

ADDENDUM/ CORRIGENDUM NO.3
COCHIN PORT AUTHORITY
An ISO-9001:2008 & ISPS Compliant Port

Phone: 2666414

Telefax: 91048 2666414

E-mail : ce@cochinport.gov.in, coptce@gmail.com
sathyan@cochinport.gov.inWebsite: www.cochinport.gov.in

No: T10/T-2062/2025-C

CHIEF ENGINEER'S OFFICE
COCHIN-682009

Dated: 27/10/2025

**TENDER FOR RECONSTRUCTION OF Q2-Q3 BERTHS AT MATTANCHERRY
WHARF OF COCHIN PORT**
(Tender No T10/T-2062/2025-C)

Following clause in the Bid Document shall be modified as follows:

SI. No .	Reference Clause No.	Section / Volume	Modifications																		
1.	Sub Clause 2(a) under Section I, NIT and Sub Clause 12 (a) under Instructions to Tenderers - Minimum Eligibility Criteria:	Section - I Page No.2 & Page No.16 of Bid document	<p><u>Replace the Sub-Clause 2 (a) of NIT and Sub Clause 12(a) of Instructions to Tenders with the following:</u></p> <p>(a) Experience</p> <p>The tenderers should have experience of having successfully completed or substantially completed the works mentioned below during the last 7 (seven) years ending 31st August 2025, at least either:</p> <ul style="list-style-type: none"> i) Three similar works each costing not less than Rs. 1363.60 lakhs (OR) ii) Two similar works each costing not less than Rs. 1704.50 lakhs (OR) iii) One similar work costing not less than Rs. 2727.20 lakhs <p>Note: In case of substantial completion of work , the certificate shall be produced specifically mentioning that the work is substantially completed.</p>																		
2.	Section I, Clause 4 i) Table-2:	Section - I Page No.6 of bid document	<p><u>Replace the Clause 4 i) Table - 2 of the NIT in detail with the following:</u></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">SI.No.</th><th style="text-align: center;">Particulars</th><th style="text-align: center;">Date and Time</th></tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td><td>Download period of Bid Documents</td><td>01/10/2025 to 28/10/2025</td></tr> <tr> <td style="text-align: center;">2</td><td>Date of pre-bid meeting</td><td>10/10/2025 at 11:00 hrs</td></tr> <tr> <td style="text-align: center;">3</td><td>Last date for seeking clarification</td><td>09/10/2025 at 15:30 hrs</td></tr> <tr> <td style="text-align: center;">4</td><td>Last date and time of submission of bid</td><td>11/11/2025 up to 15:00 hrs</td></tr> <tr> <td style="text-align: center;">5</td><td>Date and time of opening the bid</td><td>11/11/2025 after 15:30 hrs</td></tr> </tbody> </table>	SI.No.	Particulars	Date and Time	1	Download period of Bid Documents	01/10/2025 to 28/10/2025	2	Date of pre-bid meeting	10/10/2025 at 11:00 hrs	3	Last date for seeking clarification	09/10/2025 at 15:30 hrs	4	Last date and time of submission of bid	11/11/2025 up to 15:00 hrs	5	Date and time of opening the bid	11/11/2025 after 15:30 hrs
SI.No.	Particulars	Date and Time																			
1	Download period of Bid Documents	01/10/2025 to 28/10/2025																			
2	Date of pre-bid meeting	10/10/2025 at 11:00 hrs																			
3	Last date for seeking clarification	09/10/2025 at 15:30 hrs																			
4	Last date and time of submission of bid	11/11/2025 up to 15:00 hrs																			
5	Date and time of opening the bid	11/11/2025 after 15:30 hrs																			

All Addendum/ Corrigendum shall form part of the Bid Document and shall be duly signed and submitted along with the Bid by the Bidder

Sl. No. .	Reference Clause No.	Section / Volume	Modifications
3.	Section I, Clause 14 Integrity Pact (IP):	Section - I Page No.9 of bid document	<p><u>Replace the Sub-Clause 14 of the NIT in detail with the following:</u></p> <p>Integrity Pact (IP) shall cover this tender throughout its various phases, and IP would be deemed as a part of the contract through an appropriate provision. The bidders should sign and submit an —Integrity Pact to be executed between the bidder and Cochin Port Authority along with the bid in a separate envelope super scribed —Integrity Pact in Technical Bid. Bids not accompanied by a duly signed —Integrity Pact shall be liable for rejection. IP would be implemented through the following Independent External Monitor (IEM) for this tender:</p> <ol style="list-style-type: none"> 1. Shri.Harishwar Dayal, IDSE(Retd), H-2, Lawyer Colony, Bypass Road, Agra-282 005 (UP) Mobile No.9412095786. e-mail id: dayalagra@gmail.com 2. Shri.Deepak Chaturvedi, ITS(Retd), Flat No.1, Sanchar Vihar, C-5814, Sector-62, Uttar Pradesh, Noida -201301 Mobile No.9930408711. e-mail id :chaturvedideep@rediffmail.com <p>For full details of the scheme of IP, you may visit the website of Central Vigilance Commission, New Delhi.</p>
4.	Section III, Clause-7.23 site office accommodation:	Section - III Page No.153- 154 of bid document	<p><u>Existing Sub-Clause 7.23 is as following:</u></p> <p>The contractor will have to provide an air conditioned site office accommodation measuring a minimum of 60m² with toilet facilities, near the contractor's work area or other location as approved by the Engineer-in-charge, for the use of departmental staff within 15 days of the work order which shall be maintained till completion of work.</p> <p><u>Replace the Sub-Clause 7.23 with the following:</u></p> <p>The contractor will have to provide an air conditioned site office accommodation measuring a minimum of 60m² with toilet facilities, near the contractor's work area or other location as approved by the Engineer-in-charge, for the use of departmental staff within 30 days of the work order which shall be maintained till completion of work.....</p>
5.	Section III, 2.Special Conditions of Contract Sub Clause 3 : Works executed to subletting:	Section - III-2, Page No.162 of bid document	<p><u>Add the following Clause under the Sub-Clause 3:</u></p> <p>3.4 : The Contractor shall engage Class B Electrical licensee holder or firm for carrying out the Electrical works.</p>
6.	Section IV, Clause 1.2.3.4.1 Design Mix:	Section - IV Page No.185- 186 of bid document	<p><u>Replace the Sub-Clause 1.2.3.4.1 of Technical Specifications with the following:</u></p> <p>For design mix concrete of following grades of concrete the minimum cement content per cubic metre and maximum water cement ratio are as given below.</p>

Sl. No .	Reference Clause No.	Section / Volume	Modifications							
			Sl. No	Grade of Concrete	Minimum cement content in Kg / m ³	Maximum free Water cement ratio				
			1.	M40	420	0.40				
			2.	M35	400	0.45				
			3.	M30	375	0.45				
			4.	M25	350	0.50				
7.	Section IV, Clause 1.2.6.5.2 Concrete:	Section - IV Page No.193 of bid document	<p><u>Replace the Sub-Clause 1.2.6.5.2 with the following:</u></p> <p>Concrete mix shall be of M40 grade using 20mm size graded granite metal with a cement content not less than 420 kg/ cubic metre and water cement ratio not exceeding 0.40. The slump of concrete shall neither be less than 150 mm nor greater than 180 mm.</p>							
8.	Section IV, Sub clause 2.1(f) Scope of work & , Sub clause 2.8.5 Under detailed Tech. Specification-Supply of materials	Section-IV- (2). Tech. Specifications for Electrical works . Page 213, 223 of bid document	Specification of cables shall be corrected and read as "Supply of 3.5C X 50 sq.mm, XLPE, LT , FRLS , Al, Armoured UG cable"							
9.	Section-IV, Clause -3, List of approved materials / makes Table Sl. 1 - Marine Civil Works Item 1- 5	Section - IV Page 231 of bid document	<p><u>Replace the Table Sl. No. 1-5 of under Clause 3 of Technical Specifications with the following:</u></p> <table border="1"> <tr> <td>1-5.</td> <td>Admixtures for Concrete</td> <td>BASF, FOSROC, SUNANDA, CERA CHEM, SIKA or its equivalent</td> </tr> </table>					1-5.	Admixtures for Concrete	BASF, FOSROC, SUNANDA, CERA CHEM, SIKA or its equivalent
1-5.	Admixtures for Concrete	BASF, FOSROC, SUNANDA, CERA CHEM, SIKA or its equivalent								

Sd/-
CHIEF ENGINEER